



MEDICAL EQUIPMENT

Dentals Catalog

www.china-dentals.com | Rensino Medical Equipment Co., Ltd

ABOUT US



Rensino Medical Equipment Co., Ltd., a subsidiary of Rensino Group Co., Limited, is a high-tech enterprise specializing in the research, development, production, sales, and technical services of dental products. Guided by cutting-edge technology and rigorous quality control, we are committed to providing high-performance, environmentally conscious dental equipment and supplies tailored to meet the diverse demands of various clinical settings.

Leveraging an experienced R&D team and advanced manufacturing processes, we offer a comprehensive range of dental equipment and supplies, including **Dental Cabinets, Dental Compressors, Dental Endo Motors, Dental Handpieces, Dental Operating Lights, Dental Simulators, Dental Spare Parts, Dental Suction Machines, Dental Ultrasonic Scalers, Dental Units, Dental X-Ray Machines, Dentist Stools, LED Curing Lights, Oral Cameras and Monitors, Portable Dental Units, and Teeth Whitening Machines**. Each product undergoes meticulous design and testing to ensure outstanding performance, user-friendly operation, and long-lasting durability—demonstrating our unwavering commitment to quality and innovation.

At Rensino, we prioritize innovation-driven development by continuously investing in new technologies to enhance product efficiency and reduce environmental impact. Through sustainable production methods and eco-friendly facilities, we strive to minimize energy consumption and carbon emissions, actively contributing to a greener future for dental healthcare.


Guided by the principle of “Quality First, Customer Foremost,” we provide top-tier products and comprehensive technical support, ensuring each product aligns with the highest industry standards. Backed by a dedicated professional team and dependable after-sales services, Rensino has earned a solid reputation in both domestic and international markets.

We look forward to collaborating with you to create a more efficient, sustainable, and innovative future in the dental field. Together, let us redefine the possibilities of dental technology!



OEM / ODM Service

Perfect service system, to provide you with one-stop service, save time, effort and more worry!



ENVIRONMENT EQUIPMENT



Dental Hand Cabinet

OEM/ODM customization services



Multi-functional Trolley Dental Cabinet

1. Stainless Steel Body material trolley cabinet, Anti-corrosion, no rust, durable and easy for cleaning
2. Modern design with brake, rotate 360°
3. Artificial marble and tempered glass are available. High hardness, not get scratch by knife .



Multi-functional Trolley Dental Cabinet

1. Soft closing drawers, work smoothly and quietly, make the dentist and patient comfortable when treating.
2. 5 suitable drawer and professional compartment for different demand.
3. Rotating 360°




Anti-corrosion Dental Cabinet

1. Stainless Steel Body material, Anti-corrosion clinic cabinet;
2. 5 layer drawer for different demand.
3. All the drawers can be locked and open with 1 lock, make you clinic safe and easy.



Anti-corrosion Stainless Steel Body Marble Medical Cabinet

- 1, Cabinet are all stainless steel materials
- 2, Exquisite kirsite handle, high hardness, the screw is not easy to slide
- 3, Dental cabinet's drawer are build-in damping, enable the cabinet soft closing with no shake and no noise



Dental Endo Motor

OEM/ODM customization services



Dental Endo Motor

Dental Cordless Endo Motor With 20:1 Contra Angle Handpiece

1. Wireless Dental Endo Motor
2. 20:1 Contra angle dental Apex Locator
3. Slim for clearer sight
4. Keyboard operationg , easy to us



Dental Endo Motor Apex Locator

Miniature push button head that can be used with the Endo-Mate DT,

Endo-Sequence, Endo-Sequence II, Endo-Mate TC and Endo-Mate TC2, IMATE, Endodontic handpieces. Used for NiTi rotary files

Dental Apex Locator

Adapter working voltage: AC100–240V,50/60HZ;
Adjustable torque,range: 0.6–5.2N.cm [6–52mN.m]
5 setting for adjustable rotational speed ranging:
150rpm–650rpm

Volume(cm): 23.5X20X14.5
Weight(kg)/PCS: 2.8
Packing material: carton
QTY per master carton: 6pc/ctn



Dental Root Canal Apex Locator

Technical: Adaptor working

voltage:100–240Vac,50/60HZ;

Adjustable torque,range:0.3–5.2N.cm [3–52mN.m]

5 setting for adjustable

rotational speed ranging:125rpm–650rpm

Volume(cm): 24X21X9.5

Weight(kg)/PCS: 1.8


Packing material: carton

QTY per master carton: 8pc/ctn



Dental Handpeice

OEM/ODM customization services



Dental Low Speed Handpiece Anti Retraction

20:1 Implant handpiece

Code : R20N-01C

20:1 Implant contra angle dental handpiece



Low Speed Dental Handpiece

Internal low speed set

straight handpiece

dental air motor handpiece

contra angel handpiece

Dental Air Micromotor Handpiece

Air motor 2 holes

Model: BIN-01C

Internal air motor 2 holes

Air/ water tube , external water system

Match up E type motor , 2 hole conneciton

Rotation speed :14000-20000RPM

Conform to ISO 13485 standard

1. Superior FKM material O ring,better autoclave sterilization
2. Exterior channel water spray system
3. Exquistie electroplate appearance
4. Forward and reverse options
5. Two holes



Electric Dental Micromotor Handpiece

Code: DIL-01T

Max rotation speed: 40,000rpm

Noise: less than 65dB

Torque: 3.5N.cm

Weight: 2.5kg

Internal irrigation



Low Speed Dental Handpiece

Code: DIN-01C

Max rotation speed: 30,000rpm

Noise: less than 70dB

Torque: 6.8N.cm

Weight: 3kg

Dental Operating Light

OEM/ODM customization services



Dental Lamp Oral Cold Light For Dental Chair Unit

Input Voltage: AC/DC 12-24V
 Frequency: 50 / 60Hz
 Power:20W
 Illumination:30000-90000Lx with sensor screen
 Color Temperatuer:3500-5500K Adjust Color
 Temperatuer
 Spot size: Φ 120mm (Distance for 900mm)
 Amount of LED tube:20pcs
 Dimension of carton:51 × 47 × 20cm
 Weight of one carton:5KG
 Amount of one carton: 1 piece



Dental Low Speed Handpiece Anti Retraction



| | |
|-------------------|-------------------------------------|
| Type | Dental LED Light |
| Power source | Electricity |
| Power supply | DC 22-24V |
| Colors | White |
| Illumination | 30,000-80,000Lux |
| Spot size | Diameter 120mm (distance for 900mm) |
| Packing size | 53cm*42cm*36.5cm |
| Number of LED | 18 pieces |
| Color temperature | 3500-5,500k |
| Packing weight | 10KG |
| Model Number | FIL12 |
| Feature | Removable |
| Aplication | Dental surgery illumination |

Examination Light For Dental Chair Unit



| | |
|-------------------|--|
| Type | Dental LED Light |
| Power source | Electricity |
| Power supply | DC 22-24V |
| Colors | White |
| Illumination | 8,000-30,000Lux |
| Spot size | Diameter 80x160mm (distance for 700mm) |
| Packing size | 40cm*35cm*22cm |
| Number of LED | 6 pieces |
| Color temperature | 3500-5,500k |
| Packing weight | 2.8KG |
| Model Number | KY-P116 |
| Packing | 38mm*36mm*21.5mm |
| Aplication | Dental surgery illumination |

Dental Simulator

OEM/ODM customization services



Desk Mounted Phantom Head Models Laboratory Practice

DIMENSIONS OF THE DESK: 1200*1200*800MM
 COLOR OF CHEST: GREEN/PURPLE/WHITE
 POWER: ELECTRICAL 100v-240v
 AIR COMPRESSOR:
 CUSTOMER SELF-PROVIDED
 MAX & MIN HEIGHT OF THE ELECTRICAL PART:
 650MM-750MM



Desk Type Model Dental Phantom Head

High speed handpiece tube
 Low speed handpiece tube. 3-way syringe
 Phantom head(adjust 90degree, and also can move inside, outside, up and down)
 Clean water bottle. Saliva ejector. Foot switch
 Table for manikin complete(120*60*80cm)
 Dental shadowless lamp. Power outlet

Dental Lab Desk

High speed handpiece tube

Low speed handpiece tube

3-way syringe

Phantom head(adjust 90degree, and also can move inside, outside, up and down)

1 Clean water bottle

Saliva ejector

Foot switch

Dental shadowless lamp

Table for manikin complete(120*60*80cm)



Stomatology Bionic Head

Material: Eco-friendly PVC
 Size: 47*31*26cm(with packing)
 Weight: 8.6 kg(with packing)
 Color: BLUE /WHITE /GREEN
 Application: Educational Models
 Item: Human Tooth Model
 Function: Students Understand Human Structure



Student Training Phantom Head Simulator

Power:220VAC ± 10% 50Hz ± 2%
 Input power:2200W
 Size:1200*600*800
 Length of head way:100mm
 Auxiliary lighting system of illuminance :8000~50000Lux

Dental Spare Parts

OEM/ODM customization services

Dental Chair Selection Valve

Dental Place Position Selection Valve Selecting Valve for Dental Chair Spare Parts Connect With 18mm/20mm/25mm



Dental Electromagnetic Valve Dental Chair Parts

all kinds dental electromagnetic valve offer



Dental Spare Parts Dental Cuspidor

dental parts offer
dental cuspidor offer
dental spittoon offer



Dental Unit Parts Dental Chair Motor

dental spare offer
dental chair parts
dental chair motor offer

Stomatology Bionic Head

dental chair parts , plastic cover offer



Dental Suction Machine

OEM/ODM customization services

Extraoral Aerosol Suction Machine

- Voltage :110-220V/50-60Hz
- Number of dental chairs 1pc
- Power :370W
- Noise :53DB
- Rated current :2.7A
- Package size :390*360*860mm
- Motor speed :2800rpm
- Net weight :26.5kgs
- Maximum pressure :11.5Kpa
- Flow :300L/min
- Maximum vacuum: -11Kpa
- Connect dental unit Quantity (Simultaneous use 100%) 1pc



Portable Vacuum Suction Pump

1. Portable saliva ejector machine with display crystal screen to show the liquid position of the container, and other working state.
2. Suction machine for dental choose drain water by automatic or manual or manual from buzze/ channel
3. This suction unit offer one dental chair.



Silence Portable Dental Suction Machine

1. Dental suction machine , convenient for one dental unit , next to the dental unit .
2. Dental suction machine , silence vacuum pump .

Portable Dental Suction Machine

- Voltage :110-220V/50-60Hz
- Number of dental chairs 1pc
- Power :370W
- Noise :53DB
- Rated current :2.7A
- Package size :390*360*860mm
- Motor speed :2800rpm
- Net weight :26.5kgs
- Maximum pressure :11.5Kpa
- Flow :300L/min
- Maximum vacuum: -11Kpa
- Connect dental unit Quantity (Simultaneous use 100%) 1pc



Suction Machine For Dental

- Voltage 110-220V/50-60Hz
- Power 370W
- Rated current 2.7A
- Motor speed 2800rpm
- Maximum pressure 11.5Kpa
- Maximum vacuum -11Kpa
- Number of dental chairs 1pc
- Package size 390*360*860mm
- Net weight 26.5kgs
- Flow 300L/min
- Noise 53DB
- Connect dental unit Quantity (Simultaneous use 100%) 1pc



Dental Ultrasonic Scaler

OEM/ODM customization services



Home Use Dental Portable Ultrasonic Scaler

Ultrasonic scaler for home use
Best ultrasonic scaler
OEM ODM teeth scaling machine teeth scaling machine
Sonic tooth scaler



Portable Dental Ultrasonic Scaler

1. EMS or Satelec compatible model optional.
2. Touch control panel for water control and power regulation, waterproof.
3. scaling, perio and endo functions.
4. 600ml water tank, automatic water supply, medical liquids is applicable.

Piezo Ultrasonic Scaler For Dental Use

Ultrasonic scaler machine
Dental scaler handpiece
Piezo dental scaler install in dental unit

Model: MaxPiezo6+
Power Input: 220–240VAC 50Hz /110VAC 60Hz
Main unit input: 24VAC 50Hz 1.3A
Frequency: 28kHz ± 3kHz
Water pressure: 0.1bar–5bar(0.01MPa–0.5MPa)
Package size: 375mm*305mm*120mm
Gross Weight: 2.4Kg



Teeth Scaling Machine

Model: N3000L
LED detachable handpiece
Endo, scaling & perio function
Automatic frequency tracking
Real-time feedback
Main unit input: 24VAC 50Hz
Frequency: 28KHz ± 3KHz
Water pressure 0.1bar–5bar(0.01MPa–0.5MPa)
Package size 18.2cm*17.2cm*6.8cm
Gross weight: 0.45Kg



VRN Dental Cavitron Ultrasonic Scaler

Model: MaxPiezo6+
Power Input: 220–240VAC 50Hz /110VAC 60Hz
Main unit input: 24VAC 50Hz 1.3A
Frequency: 28kHz ± 3kHz
Water pressure: 0.1bar–5bar(0.01MPa–0.5MPa)
Package size: 375mm*305mm*120mm
Gross Weight: 2.4Kg

Dental Unit

OEM/ODM customization services

Arrival dental chair unit A3000

- I Power supply: 110V/60Hz
- I Input power: 380VA
- I Fuse specification:
general net source: FRI-20 ϕ 5X20 6A
- I Cold light: AC12V/50VA AC10V/50VA
- I X-film viewer: AC V/12VA
- I Water supply thermostat: AC24/80VA
- I DC Motor: DC24V/ \leq 3.8A
- I The burden weight on the instrument tray: 1.5KG
- I Intermittent working system: used for 1 minute with intermittent time of 15 minutes.
- I Size of the Chair: 180X 85X 180 cm
- I Size of the package: 155 X112X115 cm
- I N/W: 185KG G/W : 235KG



Complete Advance Dental Chair

- Electric control dental chair ;
- LED-Y01 operation light with sensor ;
- Three way syringe-2pcs;
- Panoramic x-film viewer;
- Dentist stool-1pc;
- Normal suction system ;
- Automatic heating water system;
- Turnable assistant tray design;
- Leather seat more comfortable;
- 3 memory positions;
- Intergrated operation light and back seat ;
- Voltage:110-220V 50-60HZ ;



Dental Chair

- Power supply: AC220V/50Hz
- Input power: 750VA
- Fuse specification: general net source:
FRI-20 ϕ 5X20 6A
- Cold light: AC12V/50VA AC10V/50VA
- X-film viewer: AC V/4VA
- Water supply thermostat: AC220V/400VA
- DC Motor: DC24V/ \leq 3.8A
- The burden weight on the instrument tray: 1.5KG
- Intermittent working system: used for 1 minute with intermittent time of 15 minutes.
- Size of the Chair: 175X 85X 180 cm
- Size of the package: 160 X112X130 cm
- N/W: 200KG



Dental Chair Equipment

- Power supply: AC220V/50Hz
- Input power: 750VA
- Fuse specification: general net source:
FRI-20 ϕ 5X20 6A
- Cold light: AC12V/50VA AC10V/50VA
- X-film viewer: AC V/4VA
- Water supply thermostat: AC220V/400VA
- DC Motor: DC24V/ \leq 3.8A
- The burden weight on the instrument tray: 1.5KG
- Intermittent working system: used for 1 minute with intermittent time of 15 minutes.
- Size of the Chair: 175X 85X 180 cm
- Size of the package: 160 X112X130 cm



Ergonomic Dental Chair

- Power supply: AC220V/50Hz
- Input power: 750VA
- Fuse specification: general net source:
FRI-20 ϕ 5X20 6A
- Cold light: AC12V/50VA AC10V/50VA
- X-film viewer: AC V/4VA
- Water supply thermostat: AC220V/400VA
- DC Motor: DC24V/ \leq 3.8A
- The burden weight on the instrument tray: 1.5KG
- Intermittent working system: used for 1 minute with intermittent time of 15 minutes.
- Size of the Chair: 175X 85X 180 cm
- Size of the package: 160 X112X130 cm
- N/W: 200KG



Dental X Ray Machine

OEM/ODM customization services

Dental Periapical X Ray Unit With Dental Sensor

1. APS CMOS technology:
18.5 μ m pixel size
5T pixel type
2. Multi-user solution of dental intra oral sensor :
The idea of <HandyDentist>management
Digital rvg sensor system is to provide multiuser solution.
Sharing information in database .
Plug and play connector make the sensor transferable
from room to room
3. New HandyDentist dental sensor software :
Powerful image processing & preprocessing
Easy to operate
Multi-user solution
Connectable to the most management systems on the
market under DICOM3.0 protocol .



Periapical X Ray Machine

1. High frequency dental X Ray machine with precision power supply voltage stabilizing system,voltage application range:110V-260V
2. Dental periapical x ray unit with microcomputer processor automatically controls,settings and memory exposure time,exposure voltage.
- 3.Dental x ray machine with color LCD screen, full screen display exposure time, voltage, working status, shooting tooth.
- 4.High frequency dental X Ray machine have RVG, adult,children three conventional modes convert with a key, and it restores with a reset button.
- 5.Dental periapical x ray unit will make appointment reminders when exposure 3 seconds to prevent accidental exposure.
6. Dental x ray machine have full range wireless remote exposure within 10 meters.



Digital Wall Mounted X Ray Unit Dental

1. Microfocus X-ray tube captures sharper images with lower dose
2. Double-layer lead protection inside the bulb head, which blocks leakage radiation in an all-round way, and is safer.
3. S-shaped curved arm design, the shooting angle is smart and convenient

Intraoral X Ray Machine For Dental Clinic

1. Microfocus X-ray tube captures sharper images with lower dose
2. Double-layer lead protection inside the bulb head, which blocks leakage radiation in an all-round way, and is safer.
3. S-shaped curved arm design, the shooting angle is smart and convenient



Ergonomic Dental Chair

- Tube voltage :60KV
- Tube current :1mA
- Exposure time :0.3-2.5 s
- Working frequency :20KHz
- Power rating :80W
- X ray tube focus:0.3mm
- Focus-skin distance :110mm
- Built-in Power :DC14.8 V/6500mA
- Charger input voltage: AC220V
- Charger output voltage: DC16.8V
- Charger input FREQUENCY:50-60Hz
- Package size :310*220*195mm
- Net weight :2.3KG
- Gross weight :4.3 KG

Dentist Stool

OEM/ODM customization services



Adjustable Dental Doctor Chair

Seat Surface Material:
PU leather, sponge, plastic plate (option: fiber leather, simulation leather)
Seat Size: 36 cm
Backrest Size: 46x 27 cm
Height Adjustment: 14 cm (chair high 44–58cm)
Backrest Tilt: 10°
Five Star Base Material: Polished zinc alloy
Five Star Base Diameter: 56cm
Casters : 5
Packing weight : 8 kg
Packing size: 540*210*535mm



Dental Assistant Saddle Chair

Seat Surface Material:
PU leather, sponge, plastic plate (option: fiber leather, simulation leather)
Seat Size: 38 cm
Backrest Size: 45*95*70 mm
Height Adjustment: 95mm (chair high 515–610mm)
Backrest Tilt: 10°
Five Star Base Material : Polished zinc alloy
Five Star Base Diameter : 56cm
Casters : 5
Packing weight : 10.3 kg
Packing size: 560*290*570 mm



Dental Chair Assistant Stool

Seat Surface Material:
PU leather, sponge, plastic plate (option: fiber leather, simulation leather)
Seat Size: 44.5 x 40 cm
Backrest Size: 36 x 29 cm / 36*40 cm
Height Adjustment:
12cm (chair high 475 –600cm)
Backrest Tilt: 10°
Five Star Base Material : Polished zinc alloy
Five Star Base Diameter: 56cm
Casters : 5
Packing weight : 15.5 kg
Packing size: 560*290*570 mm

Esthetician Saddle Stool

Seat Surface Material:
PU leather, sponge, plastic plate (option: fiber leather, simulation leather)
Seat Size: 44.5 x 40 cm
Backrest Size: 36 x 29 cm /40*26 cm
Height Adjustment:
11 cm (chair high 550 –630mm)
Backrest Tilt: 10°
Five Star Base Material: Polished zinc alloy
Five Star Base Diameter: 56cm
Casters : 5
Packing weight : 17.5 kg
Packing size: 560*290*570 mm



Dental Nurse Chair

Seat Surface Material:
PU leather, sponge, plastic plate (option: fiber leather, simulation leather)
Seat Size: 44.5 x 41.5cm
Backrest Size: 33 x 42cm
Height Adjustment: 12cm (chair high45–57cm)
Backrest Tilt: 10°
Five Star Base Material : Polished zinc alloy
Five Star Base Diameter: 56cm
Casters : 5
Packing weight : 9 kg
Packing size: 560*290*570 mm

LED Curing Light

OEM/ODM customization services



Dental Filling Uv Light Curing Led Lamp

KY-L033A – LED CURING LIGHT
Quality assurance, three-year warranty!

Input Voltage: AC100–240V
Power: 5W/7W/9W
Wavelength: 430–485nm
Illumination density: 5W ≥ 1400mW/cm
7W ≥ 1700mW/cm 9W ≥ 2100mW/cm

Dimension of carton: 52x46x32cm
Weight of one carton: 11kg
Amount of one carton: 15piece



Dental Light Curing Composite Resin

MaxCure5
3 Second Cure Dental Curing Light Resin
Curing Light

Model: MaxCure5
Power Input: 100–240VAC, 50Hz/60Hz
Power Output: 5V DC/1A
Wave length: 420 nm–480 nm
Light intensity: 1000mW/cm – 1800mW/cm
Battery voltage and capacity: 3.6V/2600mAh



Dental One Second Curing Unit Lamp

LED build out one second curing light
Max Cure 9

- ◆ Lamp: single blue LED
- ◆ Wave length: 380–515 nm
- ◆ Intensity: 1000–2500 mW/cm²
- ◆ Power supply: AC100–220V, 50–60HZ
- ◆ Turbo light guide: dia. 8mm, disinfectable
- ◆ Operation mode: 1–3 sec with in high intensity mode /5–20 in general intensity mode.
- ◆ battery :2600mAh

Light Cure Devices Dental LED Curing Light

KY-L012A – LED CURING LIGHT
Quality assurance, three-year warranty!

Input Voltage: A/B type: AC100–240V C type: AC24V
Power: 5W/7W/9W
Wavelength: 430–485nm
Illumination density: 5W ≥ 1400mW/cm
7W ≥ 1700mW/cm 9W ≥ 2100mW/cm
Dimension of carton: 52x46x32cm
Weight of one carton: 11kg
Amount of one carton: 15piece



Wireless Dental LED Curing Light

KY-L028A – LED CURING LIGHT
Quality assurance, three-year warranty!

Input Voltage: A/B type: AC100–240V C type: AC24V
Power: 7W/9W
Wavelength: 430–485nm
Illumination density: 7W ≥ 1700mW/cm
9W ≥ 2100mW/cm²
Dimension of carton: 52x46x32cm
Weight of one carton: 11kg
Amount of one carton: 15piece



Oral Camera And Monitor

OEM/ODM customization services



17 Inch Monitor Wifi Usb Output Option Oral Dental Camera

Image Sensor: CMOS1/4
Operating System: Embedded Operating System
Picture Display: 1 Picture/4 Pictures
System Operation: Remote Control/Key Control
Backup: Backup to USB device automatically
Storage Capacity: Max 32G
Picture Storage Format: JPG
Focus Range: 5mm--50mm
Consumption: 30W
WIFI Transmission: Yes (Optional)



Digital Doc Intraoral Camera

Image Sensor: CMOS1/4
Operating System: Embedded Operating System
Picture Display: 1 Picture/4 Pictures
System Operation: Remote Control/Key Control/Mouse Control
Backup: Backup to USB device automatically
Storage Capacity: Max 32G
Picture Storage Format: JPG
Focus Range: 5mm--50mm
Consumption: 30W
WIFI Transmission: Yes



Intraoral Camera 5.0 Mega Pixels

Processor: INTEL Low Power Consumption Quad Core Processor
Solid State Drive: 64G
Storage: 8G-DDR3
Screen Size: 18.5 inch
Screen Resolution: 1366*768
Screen Type: Capacitive Touchscreen
Operating System: Windows 10
Build-in WIFI Function
Bluetooth 4.0
Camera Connection: USB3.0 Camera
Specified Software for Patient Check-up Documentation
Compatible with CT, X-ray, ect



Intraoral Camera Megapixels Monitor HD Endoscopic

Image Sensor: CMOS1/4
Operating System: Embedded Operating System
Picture Display: 1 Picture/4 Pictures
System Operation: Remote Control/Key Control
Backup: Backup to USB device automatically
Storage Capacity: Max 32G
Picture Storage Format: JPG
Focus Range: 5mm--50mm
Consumption: 30W
WIFI Transmission: Yes (Optional)
Color Option: White, Off-White



Mouthwatch Dental Camera

Image Sensor: CMOS1/4
Operating System: Embedded Operating System
Picture Display: 1 Picture/4 Pictures
System Operation: Remote Control/Key Control
Backup: Backup to USB device automatically
Storage Capacity: Max 32G
Picture Storage Format: JPG
Focus Range: 5mm--50mm
Consumption: 30W
WIFI Transmission: Yes (Optional)
Color Option: White, Off-White



Portable Dental Unit

OEM/ODM customization services



Aseptico Portable Dental Unit

Portable mobile dental unit small volume and light weight, consists of related operation system inside the dental treatment unit, such as air system, water system, suction and drainage.

Voltage : 100–240V
Power : 0.75KW
Air flow: 50L/min /7 Bar
Tank: 1L
Net weight: 31.7KG
Noise level: less than 60dB
Dimensions: 45*21*68 cm



Portable Dental Chair

1. Adjustable seat height: 500–600mm
2. Backrest angle of inclination: 110~180° C
3. Headrest distance of movement: 80mm
4. Headrest angle of rotation: $\geq 25^\circ$
5. With Operation light and Instrument tray
6. Max affordable weight: 200kg



Portable Dental Equipment Mobile Dental Chair

1. Adjustable seat height: 500–600mm
2. Backrest angle of inclination: 110~180° C
3. Headrest distance of movement: 80mm
4. Headrest angle of rotation: $\geq 25^\circ$
5. With Operation light and Instrument tray
6. Max affordable weight: 200kg

Portable Dental Machine Dental Equipment

1. Mobile Dental Unit Portable Dental Cart has a great new head design that allows for easy service access. The cart features a new up and down stand that is height adjustable from 550mm to 750mm, easily move from room to room, chair to chair. Just quick connect to air source, no junction box needed.
2. Mobile dental chair unit Stainless steel tray fit for surgical operation .



Portable Dental Unit

Portable dental unit small volume and light weight, consists of related operation system inside the dental treatment unit, such as air system, water system, suction and drainage.

Voltage : 100–240V
Power : 0.75KW
Air flow: 50L/min /7 Bar
Tank: 1L
Net weight: 31.7KG
Noise level: less than 60dB
Dimensions: 45*21*68 cm



Teeth Whitening Machine

OEM/ODM customization services



Mobile Teeth Whitening Machine

Input Voltage:AC100–240V
Power:40W
Wavelength:400–460nm
Illumination density:200–300mW/cm
Amount of LED tube:8pcs
Dimension of appearance (LxWxH):
150x60x123cm
Dimension of carton: 65x64x25cm
Weight of one carton:21kg
Amount of one carton:1piece

Cold Light Whitening Machine For Dental

Input Voltage:AC100–240V
Power:23W
Wavelength:400–460nm
Illumination density:120–200mW/cm
Amount of LED tube:4pcs
Dimension of appearance (LxWxH):
80x55x20cm
Dimension of carton: 39x53x15cm
Weight of one carton:3.2kg
Amount of one carton:1piece



Professional Teeth Whitening Machine For Dental Clinic

Input Voltage:AC100–240V
Power:40W
Wavelength:400–460nm
Illumination density:200–300mW/cm
Amount of LED tube:8pcs
Dimension of appearance
(LxWxH):150x60x123cm
Dimension of carton: 65x64x25cm
Weight of one carton:8kg
Amount of one carton:1piece




Dental Bleaching Machine

Input Voltage:AC100–240V
Power:33W
Wavelength:400–460nm
Illumination density:150–250mW/cm
Amount of LED tube:6pcs
Dimension of appearance
(LxWxH):82x28x112cm
Dimension of carton: 69x60x20cm
Weight of one carton:10kg
Amount of one carton:1piece



Teeth Whitening Machine Dental Clinic Use

Input Voltage:AC100–240V
Power:60W
Wavelength:400–460nm
Illumination density:200–300mW/cm
Contact Temperature:35–40°C
Amount of LED tube:12pcs
Dimension of carton:85x59x40cm
Weight of one carton:27kg
Amount of one carton:1piece



MEDICAL EQUIPMENT

Dentals Catalog

www.china-dentals.com | Rensino Medical Equipment Co., Ltd

Office: 6F, ShunJing Trade Center, No.855, Industrial Avenue South, Haizhu District, Guangzhou, China(Mainland)